

RMZ-1214-E14

Temperature sensor, 1 internal NTC (ROBUST)



Type	RMZ-1214-E14, 1 internal NTC, embedded in resin
Applications	Food storage, Production areas
Simulator	Internal volume of 30 ml PUR Resin (<0.21W/mK Thermal conductivity)
Measuring range:	-35°C to +50°C
Accuracy:	±0,5 °C (-20°C up to 40°C)
Resolution	0.1°C
Operating temperature	-35°C to +50°C
Storage temperature	-40°C to +55°C
Measuring rate	Standard 5 min, can be set 1 min to 6 h
Measuring mode	Online via RF wireless Zigbee
Memory	900 samples
Power	Battery operated 3.6V LiTCL AA type (included)
Battery life	> 3 years at measuring rate 5min @ 25°C > 5 years at measuring rate 10min @ 25°C
Protection class	IP 65
Housing	ABS, white
Dimensions	77x50x34 mm
Weight	128 g
Radio Frequency	ISM 2,4 - 2,5 GHz
Certifications	Conforms to standard EN12830 for HACCP Confirms to CE / FCC
Transmit Power	6.3 mW (+8 dBm)
Transmission distance	Up to 60 m indoor range

All specifications in this document are subject to change without prior notice

Highlights

- Single internal probe
- Electronics fully embedded in resin
- Advised for day freezers such as Grill Side and Fry dispenser
- Cost effective device
- Simple Do-It-Yourself installation
- Compatible with RMZ series
- Logging to the cloud
- Alarming via email and SMS
- Excellent replacement for loggers



More information

BELGIUM

T +32 89 51 50 12
M info@rmoni.com

THE NETHERLANDS

T +31 74 265 77 87
M info@rmoni.com



Raise your quality
standards with Rmoni